

Detours



Interface®

The main road might be the accepted way to go, but an alternative route can make for a much more interesting journey. Thanks to Mr. Frost, we know that taking the road “less traveled by” can make all the difference.

Detours takes our familiar 50cm square format and steers it in a new direction. Relying on the handsome neutral palette it shares with the squares and Skinny Planks™ within the Common Theme™ Collection, Detours explores new ways to bring movement to the floor. Like streams of light and shadows, the pattern plays across the surface with flickers of bright color and light-white flashing through. The bold, angular pattern makes it seem as though it is moving in more than one direction, activating the floor in a spirited way. Break the routine, take the other road and discover what's new in Detours.



PRODUCT DETOURS **COLOR** 104719 PEWTER **COLLECTION** COMMON THEME
PRODUCT CT101™ **COLOR** 103975 PEWTER **PRODUCT** VIVA COLORES™
COLOR 101126 VERDE PRIMAVERA **INSTALLED** PATTERN BY TILE







PRODUCT DETOURS **COLOR** 104717 ONYX **INSTALLED** MONOLITHIC
COLLECTION COMMON THEME **PRODUCT** CT111™ **COLOR** 104345 ONYX **INSTALLED** ASHLAR
PRODUCT ON LINE™ **COLOR** 103801 POPPY **INSTALLED** PATTERN BY TILE




Detours Colorline




104716 SLATE




104717 ONYX




104718 STEEL




104719 PEWTER




104720 SAGE



104721 TOPAZ



104722 WALNUT



104723 TARRAGON

Specifications


Modular, 50cm x 50cm	1466602500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.066 in., 1.7 mm
Pile Density	7,636
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820




*For colorlines and specifications of coordinating products featured in this brochure, visit www.interface.com.

Design Ideas


Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.



PRODUCT DETOURS **COLOR** 104718 STEEL **INSTALLED** MONOLITHIC
COLLECTION COMMON THEME **PRODUCT** CT102 **COLOR** 103985 STEEL **INSTALLED** ASHLAR




PRODUCT DETOURS **COLOR** 104717 ONYX **INSTALLED** MONOLITHIC
PRODUCT CT111 **COLOR** 104345 ONYX **INSTALLED** ASHLAR
PRODUCT ON LINE **COLOR** 103801 POPPY **INSTALLED** PATTERN BY TILE



PRODUCT DETOURS **COLOR** 104719 PEWTER

COLLECTION COMMON THEME **PRODUCT** CT101 **COLOR** 103975 PEWTER

PRODUCT VIVA COLORES **COLOR** 101126 VERDE PRIMAVERA **INSTALLED** PATTERN BY TILE



PRODUCT DETOURS **COLOR** 104720 SAGE **INSTALLED** QUARTER-TURN

Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility.

Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

The Low Carbon Option

Help stop climate change. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. We start by using low-carbon materials and manufacturing processes, then Cool Carpet zeros out all remaining greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet, from raw material extraction through use and recycling. And climate neutral Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil + 55 11 2196 0900	Latin America + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Use the Floors design tool to create floor layouts you can save or share.
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

Recyclable is Now a Reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to publish an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We now have published EPDs for more than 99% of our products globally.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

CIM # IFS00694 09/2015



Mission Zero®

our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.